

Create Date: 2019-05-29 05:35:56/ Revision Date: 2019-05-29 06:35:56/ Print Date: 2019-10-29

SECTION 1: COMPANY AND PRODUCT INFORMATION					
1.1	Product identifiers				
	Product name	: Rhamnose Separopore <sup>®</sup> 4B-CL (Epoxy-Coupled)			
	Product code	: 20100016			
	CAS number	: Not Available			
	Synonyms	: Not Available			
1.2	2 Relevant identified uses of the substance or mixture and uses advised against				
	Identified uses	: For research and laboratory use only.			
1.3	3 Details of the supplier of the safety data sheet				
	Address	: Genelinx International Inc, dba bioWORLD 4150 Tuller Rd. Suite 228 Dublin, OH 43017			
	Email	: info@glycomatrix.com			
	Phone	: 614-792-8680, Toll free: 1-888-bio-PLUS			
	Fax	: 614-792-8685			
1.4	Emergency telephon	e number			
	Emergency phone	: 1-888-bio-PLUS			

# SECTION 2: HAZARDS IDENTIFICATION

# 2.1 Classification of substance or mixture Flammable Liquids (Category 2), H226

2.2 GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable Liquids (Category 2), H226

# 2.3 Label elements and precautionary statements

Pictogram



Signal word: WarningHazard: H226 - Flammable liquid and vapor.statement(s)

Precautionary statement(s)	: P210 - Keep away from heat, hot surfaces, open flames, and other ignition sources. No smoking.
	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P280 - Wear protective gloves/clothing/eye protection/face protection.
	P303+361+353 - If on skin (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/shower.
	PAGE (P222) Changing a small scattlete dialege. Keep seats in a tighthe slaged

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

### 2.4 Hazards not otherwise classified (HNOC) or not covered by GHS

No unclassified hazards known.

# 2.5 NFPA Rating

2.6

Health hazard	: 2	
Fire hazard	: 2	
Reactivity hazard	: 0	
HMIS Rating		
Health hazard	: 2	

Chronic health hazard	: -
Reactivity hazard	: 0
Flammability	: 2
Physical hazard	: 0

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Substance	CAS#	EC#	Concentration
Ethanol M.F: C <sub>2</sub> H <sub>6</sub> O M.W: 46.07 g/mol	61-17-5	200-578-6	<= 20%

### 3.2 Hazardous components & classification

Flam. Liq. 3; H226

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician if symptoms are severe or persistent. Provide this data sheet to medical personnel. If product is spilled or leaked, evacuate area.

### In case of inhalation

If inhaled, move person to fresh air and monitor breathing. If not breathing, give artificial ventilation. Consult a physician if symptoms are severe or persistent.

### In case of skin contact

Immediately wash with excess soap and water. If spilled on clothing, remove all affected clothing. Consult a physician if symptoms are severe or persistent.

### In case of eye contact

Flush eyes with water or eye wash solution as a precaution for 15 minutes. Consult a physician if symptoms are severe or persistent.

### In case of ingestion

Only induce vomiting if recommended by medical personnel. If subject is unconscious, do not give anything by mouth. If conscious, rinse mouth with water. Consult a physician if symptoms are severe or persistent.

### 4.2 Most important symptoms and effects, both acute and delayed

All known important symptoms are described in Section 2 and/or Section 11. No other important symptoms to report.

### 4.3 Indication of any immediate medical attention and special treatment needed

No special treatment indicated. Provide treatment in accordance with exhibited symptoms.

### SECTION 5: FIREFIGHTING MEASURES

### 5.1 Suitable extinguishing media

Water spray, alcohol-resistant foam, dry chemical, and carbon dioxide extinguishers are suitable.

### 5.2 Unsuitable extinguishing media

No known unsuitable extinguishing media.

### 5.3 Special hazards arising from the substance

Combustible. Forms explosive mixture with air at elevated temperatures. May develop hazardous gases upon combustion.

### 5.4 Advice for firefighters

Wear protective gear, such as self-contained breathing apparatus, if necessary.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide suitable ventilation. Use any necessary personal protective equipment. Avoid contact with skin and eyes, and avoid creation and inhalation of vapor or dust. Keep all unnecessary personnel away.

### For personal protection see section 8

### 6.2 Environmental precautions

Prevent product from entering public sewers and waterways.

### 6.3 Methods and material for containment and cleaning up

Use inert absorbent material to absorb any spilled or leaked product. Keep in suitable, closed containers for disposal.

### For proper disposal see section 13

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Provide suitable ventilation. Wear any necessary personal protective equipment. Keep away from open flames, hot surfaces, and sources of ignition. Use spark-proof tools and explosion-proof equipment.

# For precautions see section 2

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions	:	Store upright, closed container in arid, ventilated environment.
		Storage Temperature: 2-8°C

Incompatible materials : Strong oxidizing agents are incompatible with this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Ethanol; CAS-No.: 64-17-5

TWA: 1,000.000000 ppm. Basis: USA. ACGIH Threshold Limit Values (TLV). Remarks: Upper Respiratory Tract irritation, Confirmed animal carcinogen with unknown relevance to humans. TWA: 1,000 ppm, 1,900 mg/m3. Basis: USA. OSHA - TABLE Z-1 Limits for Air Contaminants -1910.1000.

TWA: 1,000 ppm, 1,900 mg/m3. Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants. Remarks: The value in mg/m3 is approximate.

TWA: 1,000.000000 ppm, 1,900.000000 mg/m3. Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants.Remarks: The value in mg/m3 is approximate.

TWA: 1,000.000000 ppm, 1,900.000000 mg/m3. Basis: USA. NIOSH Recommended Exposure Limits.

STEL: 1,000.000000 ppm. Basis: USA. ACGIH Threshold Limit Values (TLV). Remarks: Upper Respiratory Tract irritation. Confirmed animal carcinogen with unknown relevance to humans.

# 8.2 Engineering controls

Follow good industrial hygiene and safety practices when handling product.

# 8.3 Personal protective equipment

Eye/face protection	e only government-approved safety glasse	s with side-shields.
Skin protection	e gloves when handling product. Inspect gl sure suitability for use. Remove without ex ater surface. Discard used gloves according ad/or current good practices (cGXP). Wash h ater.	posing skin to the gloves to all pertinent laws
Body protection	ear appropriate clothing. Ensure clothing is holes or tears. When selecting clothing, co d amount of substance to be handled.	-
Respiratory protection	e only approved respirators and componen DC and NIOSH (US) or CEN (EU) regulations. pors or aerosols are created.	
Control of environmental exposure	event product from entering the environme Iblic sewers or waterways.	nt, especially through
General hygiene considerations	omply with general industrial hygiene practi	ce guidelines.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

a)	Appearance	:	Not available
b)	Physical states	:	Liquid (Suspension)
c)	Odor	:	Not available
d)	Odor threshold	:	Not available
e)	Melting point	:	Not available
f)	Boiling point range	:	Not available
g)	рН	:	Not available
h)	Density	:	Not available
i)	Flash point	:	Not available
j)	Evaporation rate	:	Not available
k)	Flammability	:	Not available
I)	Upper/lower flammability or explosive limits:	:	Not available
m)	Vapor pressure	:	Not available
n)	Vapor density	:	Not available
<b>o)</b>	Relative density	:	Not available
p)	Water solubility	:	Not available
q)	Partition coefficient:n-octanol/water	:	Not available
r)	Autoignition temperature	:	Not available
s)	Decomposition temperature	:	Not available
t)	Kinematic viscosity	:	Not available
u)	Explosive properties	:	Not available
v)	Oxidizing properties	:	Not available
w)	Solubility in other solvents	:	Not available
x)	Surface tension	:	Not available

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

No special reactivity is known.

### 10.2 Chemical stability

Product is stable when stored and used as recommended.

#### 10.3 Stability note(s)

Avoid all possible sources of ignition (spark or flame).

#### 10.4 Polymerization

No known polymerization.

### **10.5** Possibility of hazardous reactions

Flammable gases may be formed when in contact with transition-metal oxides, strong acids and their salts, ethylene oxide, chromyl chloride, diatomic halogens, strong agents, alkali oxides, and alkali and alkaline earth metals.

# 10.6 Incompatible materials

Strong oxidizing agents are incompatible with this product.

### **10.7 Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SEC	TION 11: TOXICOL	OGICAL INFORMATION		
11.1	Acute toxicity			
	LD50 Oral	: Rat - 6.2 g/kg (Ethanol)		
	LD50 Dermal	: No toxicity data available.		
	LC50 Inhalation	: Rat - 95.6 mg/L (4h, Ethanol)		
11.2	Skin corrosion/irrit	tation		
	No skin/corrosion	irritation data available.		
11.3	Serious eye dama	ge/eye irritation		
	No eye damage/ir	rritation data available.		
11.4	Respiratory or skin sensitization			
	Contact with muc	ous membranes may result in irritation.		
11.5 Germ cell mutagenicity				
	Ames test; Result: negative			
11.6	Carcinogenicity			
	IARC	: Product and components are not regulated by the IARC.		
	ACGIH	: Product and components are not regulated by the ACGIH.		
	NTP	: Product and components are not regulated by the NTP.		
	OSHA	: Product and components are not regulated by OSHA.		
11.7	Reproductive toxic	bity		
	No reproductive t	oxicity data available.		
11.8	Specific target org	an toxicity – single exposure		
	No specific organ toxicity data available.			
11.9	Specific target org	an toxicity – repeated exposure		
	No specific organ	toxicity data available.		
11.10	OAspiration hazard			
		ard data available.		
11.11	1 Additional Informa	tion		
	DTECC N DTECC	х на станици, н		

RTECS: No RTECS data available.

# SECTION 12: ECOLOGICAL INFORMATION

# 12.1 Toxicity

No ecological toxicity data available.

12.2 Aquatic toxicity

Species: Fathead Minnow (Pimephales promelas). Exposure: 96 hours. Result: LC50 14,200 mg/L Species: Water Flea (Ceriodaphnia dubia). Exposure: 48 hours. Result: LC50 5,012 mg/L Species: Water Flea (Daphnia magna). Exposure: 9 days. Result: NOEC 9.6 mg/L Species: Fresh Water Algae (Chlorella vulgaris). Exposure: 72 hours. Result: EC50 275 mg/L

### 12.3 Persistence and degradability

No persistence/degradability data available.

# 12.4 Bioaccumulative potential

No bioaccumulation data available.

### 12.5 Mobility in soil

No soil mobility data available.

### 12.6 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment is not required/was not conducted.

### 12.7 Other adverse effect

No other adverse effect data available.

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Product

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult and adhere to local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 13.2 Packaging

Packaging should be disposed of in the same manner as unused product.

### 13.3 Recommendation

Disposal must be made according to official regulations.

# SECTION 14: TRANSPORTATION INFORMATION

### 14.1 DOT (US)

Not a dangerous good under DOT(US) regulations.

### 14.2 IMDG

Not a dangerous good under IMDG regulations.

### 14.3 IATA

Not a dangerous good under IATA regulations.

### SECTION 15: REGULATORY INFORMATION

### 15.1 SARA

SARA 302: This product and components are not subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This product does not contain any components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313. SARA 311/312: Fire Hazard

### 15.2 Clean water act (CWA)

No chemicals are present in this product that are subject to regulation under the Clean Water Act.

### 15.3 Right to know components

Massachusetts	: Ethanol CAS-No. 64-17-5
Pennsylvania	: Ethanol CAS-No. 64-17-5
New Jersey	: Ethanol CAS-No. 64-17-5
California proposition 65 components	: This product contains no chemicals which are known to the State of California to cause cancer, or birth defects or other reproductive harm.

### SECTION 16: OTHER INFORMATION

### 16.1 Disclaimer

This product is offered by glycoMatrix for research, laboratory or further manufacturing use. Not for human use or consumption. The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchant-ability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall glycoMatrix.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if glycoMatrix.com has been advised of the possibility of such damages.

### 16.2 Copyright

Copyright 2019 www.glycoMatrix.com. License granted to make paper copies for internal use only.

### 16.2 Preparation Information

Create Date: 2019-05-29 05:35:56/ Revision Date: 2019-05-29 06:35:56/ Print Date: 2019-10-29