

Create Date: 2019-05-29 05:35:56/ Revision Date: 2019-05-29 05:35:56/ Print Date: 2019-06-06

**SECTION 1: COMPANY AND PRODUCT INFORMATION**

**1.1 Product identifiers**

Product name : Separopore® 4B  
 Product code : 20181031  
 CAS number : Not Available  
 Synonyms : Not Available

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : For research and laboratory use only.

**1.3 Details of the supplier of the safety data sheet**

Address : 4150 Tuller Rd.  
 Suite 228  
 Dublin, OH 43017  
 Email : tech@bio-world.com  
 Phone : 614-792-8680, Toll free: 1-888-bio-PLUS  
 Fax : 614-792-8685

**1.4 Emergency telephone number**

Emergency phone : 1-888-bio-PLUS

**SECTION 2: HAZARDS IDENTIFICATION**


**2.1 Classification of substance or mixture**

Flammable Liquids (Category 2), H226

**2.2 GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable Liquids (Category 2), H226

**2.3 Label elements and precautionary statements**

Pictogram : 

Signal word : Warning

Hazard statement(s) : H226 - Flammable liquid and vapor.

Precautionary statement(s) : P210 - Keep away from heat, hot surfaces, open flames, and other ignition sources. No smoking.  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P280 - Wear protective gloves/clothing/eye protection/face protection.  
 P303+361+353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

**2.4 Hazards not otherwise classified (HNOC) or not covered by GHS**

No unclassified hazards known.

## 2.5 NFPA Rating

Health hazard : 2  
Fire hazard : 2  
Reactivity hazard : 0

## 2.6 HMIS Rating

Health hazard : 2  
Chronic health hazard : -  
Reactivity hazard : 0  
Flammability : 2  
Physical hazard : 0

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

### 3.1 Substances

| Substance   | CAS#    | EC#       | Concentration |
|---|---------|-----------|---------------|
| Ethanol<br>M.F: C <sub>2</sub> H <sub>6</sub> O<br>M.W: 46.07 g/mol | 61-17-5 | 200-578-6 | <= 20%        |

### 3.2 Hazardous components & classification

Flam. Liq. 3; H226

---

## SECTION 4: FIRST AID MEASURES

---

### 4.1 Description of first aid measures

#### General advice

Consult a physician if symptoms are severe or persistent. Provide this data sheet to medical personnel. If product is spilled or leaked, evacuate area.

#### In case of inhalation

If inhaled, move person to fresh air and monitor breathing. If not breathing, give artificial ventilation. Consult a physician if symptoms are severe or persistent.

#### In case of skin contact

Immediately wash with excess soap and water. If spilled on clothing, remove all affected clothing. Consult a physician if symptoms are severe or persistent.

#### In case of eye contact

Flush eyes with water or eye wash solution as a precaution for 15 minutes. Consult a physician if symptoms are severe or persistent.

#### In case of ingestion

Only induce vomiting if recommended by medical personnel. If subject is unconscious, do not give anything by mouth. If conscious, rinse mouth with water. Consult a physician if symptoms are severe or persistent.

### 4.2 Most important symptoms and effects, both acute and delayed

All known important symptoms are described in Section 2 and/or Section 11. No other important symptoms to report.

### 4.3 Indication of any immediate medical attention and special treatment needed

No special treatment indicated. Provide treatment in accordance with exhibited symptoms.

---

## SECTION 5: FIREFIGHTING MEASURES

---

### 5.1 Suitable extinguishing media

Water spray, alcohol-resistant foam, dry chemical, and carbon dioxide extinguishers are suitable.

### 5.2 Unsuitable extinguishing media

No known unsuitable extinguishing media.

### 5.3 Special hazards arising from the substance

Combustible. Forms explosive mixture with air at elevated temperatures. May develop hazardous gases upon combustion.

### 5.4 Advice for firefighters

Wear protective gear, such as self-contained breathing apparatus, if necessary.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide suitable ventilation. Use any necessary personal protective equipment. Avoid contact with skin and eyes, and avoid creation and inhalation of vapor or dust. Keep all unnecessary personnel away.

**For personal protection see section 8**

### 6.2 Environmental precautions

Prevent product from entering public sewers and waterways.

### 6.3 Methods and material for containment and cleaning up

Use inert absorbent material to absorb any spilled or leaked product. Keep in suitable, closed containers for disposal.

**For proper disposal see section 13**

---

## SECTION 7: HANDLING AND STORAGE

---

### 7.1 Precautions for safe handling

Provide suitable ventilation. Wear any necessary personal protective equipment. Keep away from open flames, hot surfaces, and sources of ignition. Use spark-proof tools and explosion-proof equipment.

**For precautions see section 2**

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions : Store upright, closed container in arid, ventilated environment.  
Storage Temperature: 2-8°C

Incompatible materials : Strong oxidizing agents are incompatible with this product.

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### 8.1 Control parameters

Ethanol; CAS-No.: 64-17-5

TWA: 1,000.000000 ppm. Basis: USA. ACGIH Threshold Limit Values (TLV). Remarks: Upper Respiratory Tract irritation, Confirmed animal carcinogen with unknown relevance to humans.  
TWA: 1,000 ppm, 1,900 mg/m<sup>3</sup>. Basis: USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000.

TWA: 1,000 ppm, 1,900 mg/m<sup>3</sup>. Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants. Remarks: The value in mg/m<sup>3</sup> is approximate.

TWA: 1,000.000000 ppm, 1,900.000000 mg/m<sup>3</sup>. Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants. Remarks: The value in mg/m<sup>3</sup> is approximate.

TWA: 1,000.000000 ppm, 1,900.000000 mg/m<sup>3</sup>. Basis: USA. NIOSH Recommended Exposure Limits.

STEL: 1,000.000000 ppm. Basis: USA. ACGIH Threshold Limit Values (TLV). Remarks: Upper Respiratory Tract irritation. Confirmed animal carcinogen with unknown relevance to humans.

## 8.2 Engineering controls

Follow good industrial hygiene and safety practices when handling product.

## 8.3 Personal protective equipment

- Eye/face protection : Use only government-approved safety glasses with side-shields.
- Skin protection : Use gloves when handling product. Inspect gloves before use to ensure suitability for use. Remove without exposing skin to the gloves outer surface. Discard used gloves according to all pertinent laws and/or current good practices (cGXP). Wash hands with soap and water.
- Body protection : Wear appropriate clothing. Ensure clothing is in good condition, with no holes or tears. When selecting clothing, consider the concentration and amount of substance to be handled.
- Respiratory protection : Use only approved respirators and components which comply with CDC and NIOSH (US) or CEN (EU) regulations. Required only when vapors or aerosols are created.
- Control of environmental exposure : Prevent product from entering the environment, especially through public sewers or waterways.
- General hygiene considerations : Comply with general industrial hygiene practice guidelines.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

- a) Appearance : Not available
- b) Physical states : Liquid (Suspension)
- c) Odor : Not available
- d) Odor threshold : Not available
- e) Melting point : Not available
- f) Boiling point range : Not available
- g) pH : Not available

|    |   |                 |
|----|---|-----------------|
| h) | Density                                       | : Not available |
| i) | Flash point                                   | : Not available |
| j) | Evaporation rate                              | : Not available |
| k) | Flammability                                  | : Not available |
| l) | Upper/lower flammability or explosive limits: | : Not available |
| m) | Vapor pressure                                | : Not available |
| n) | Vapor density                                 | : Not available |
| o) | Relative density                              | : Not available |
| p) | Water solubility                              | : Not available |
| q) | Partition coefficient:n-octanol/water         | : Not available |
| r) | Autoignition temperature                      | : Not available |
| s) | Decomposition temperature                     | : Not available |
| t) | Kinematic viscosity                           | : Not available |
| u) | Explosive properties                          | : Not available |
| v) | Oxidizing properties                          | : Not available |
| w) | Solubility in other solvents                  | : Not available |
| x) | Surface tension                               | : Not available |

---

## SECTION 10: STABILITY AND REACTIVITY

---

### 10.1 Reactivity

No special reactivity is known.

### 10.2 Chemical stability

Product is stable when stored and used as recommended.

### 10.3 Stability note(s)

Avoid all possible sources of ignition (spark or flame).

### 10.4 Polymerization

No known polymerization.

### 10.5 Possibility of hazardous reactions

Flammable gases may be formed when in contact with transition-metal oxides, strong acids and their salts, ethylene oxide, chromyl chloride, diatomic halogens, strong agents, alkali oxides, and alkali and alkaline earth metals.

### 10.6 Incompatible materials

Strong oxidizing agents are incompatible with this product.

### 10.7 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

### 11.1 Acute toxicity

LD50 Oral : Rat - 6.2 g/kg (Ethanol)

LD50 Dermal : No toxicity data available.

LC50 Inhalation : Rat - 95.6 mg/L (4h, Ethanol)

#### **11.2 Skin corrosion/irritation**

No skin/corrosion irritation data available.

#### **11.3 Serious eye damage/eye irritation**

No eye damage/irritation data available.

#### **11.4 Respiratory or skin sensitization**

Contact with mucous membranes may result in irritation.

#### **11.5 Germ cell mutagenicity**

Ames test; Result: negative

#### **11.6 Carcinogenicity**

IARC : Product and components are not regulated by the IARC.

ACGIH : Product and components are not regulated by the ACGIH.

NTP : Product and components are not regulated by the NTP.

OSHA : Product and components are not regulated by OSHA.

#### **11.7 Reproductive toxicity**

No reproductive toxicity data available.

#### **11.8 Specific target organ toxicity – single exposure**

No specific organ toxicity data available.

#### **11.9 Specific target organ toxicity – repeated exposure**

No specific organ toxicity data available.

#### **11.10 Aspiration hazard**

No aspiration hazard data available.

#### **11.11 Additional Information**

RTECS: No RTECS data available.

---

## **SECTION 12: ECOLOGICAL INFORMATION**

---

#### **12.1 Toxicity**

No ecological toxicity data available.

#### **12.2 Aquatic toxicity**

Species: Fathead Minnow (*Pimephales promelas*). Exposure: 96 hours. Result: LC50 14,200 mg/L

Species: Water Flea (*Ceriodaphnia dubia*). Exposure: 48 hours. Result: LC50 5,012 mg/L

Species: Water Flea (*Daphnia magna*). Exposure: 9 days. Result: NOEC 9.6 mg/L

Species: Fresh Water Algae (*Chlorella vulgaris*). Exposure: 72 hours. Result: EC50 275 mg/L

#### **12.3 Persistence and degradability**

No persistence/degradability data available.

#### **12.4 Bioaccumulative potential**

No bioaccumulation data available.

#### **12.5 Mobility in soil**

No soil mobility data available.

#### **12.6 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment is not required/was not conducted.

#### **12.7 Other adverse effect**

No other adverse effect data available.

---

### **SECTION 13: DISPOSAL CONSIDERATIONS**

---

#### **13.1 Product**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult and adhere to local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

#### **13.2 Packaging**

Packaging should be disposed of in the same manner as unused product.

#### **13.3 Recommendation**

Disposal must be made according to official regulations.

---

### **SECTION 14: TRANSPORTATION INFORMATION**

---

#### **14.1 DOT (US)**

Not a dangerous good under DOT(US) regulations.

#### **14.2 IMDG**

Not a dangerous good under IMDG regulations.

#### **14.3 IATA**

Not a dangerous good under IATA regulations.

---

### **SECTION 15: REGULATORY INFORMATION**

---

#### **15.1 SARA**

SARA 302: This product and components are not subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This product does not contain any components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313.

SARA 311/312: Fire Hazard

#### **15.2 Clean water act (CWA)**

No chemicals are present in this product that are subject to regulation under the Clean Water Act.

#### **15.3 Right to know components**

Massachusetts : Ethanol CAS-No. 64-17-5

Pennsylvania : Ethanol CAS-No. 64-17-5

New Jersey : Ethanol CAS-No. 64-17-5

California  
proposition 65  
components

: This product contains no chemicals which are known to the State of  
California to cause cancer, or birth defects or other reproductive harm.

---

## **SECTION 16: OTHER INFORMATION**

---

### **16.1 Disclaimer**

This product is offered by separopore.com for research, laboratory or further manufacturing use. Not for human use or consumption. The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchant-ability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall separopore.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if separopore.com has been advised of the possibility of such damages.

### **16.2 Copyright**

Copyright 2019 www.separopore.com. License granted to make paper copies for internal use only.

### **16.2 Preparation Information**

Create Date: 2019-05-29 05:35:56/ Revision Date: 2019-05-29 05:35:56/ Print Date: 2019-06-06